COLUMBIA LIBRARIES OFFSITE
HEALTH SCIENCES STANDARD
HX00049573
RECAP

The Plague in India,

1896, 1897

VOL. IV.

Maps and Charts

RC 179. In 2 In 2
v. 4.

Columbia University
in the City of New York

College of Physicians and Surgeons

Library

Digitized by the Internet Archive
in 2010 with funding from
Open Knowledge Commons

http://www.archive.org/details/plagueinindia18904nath

GOVERNMENT OF INDIA.
HOME DEPARTMENT.

THE PLAGUE IN INDIA,

1896, 1897.

COMPILED BY R. NATHAN,
INDIAN CIVIL SERVICE.

Vol. IV.

MAPS AND CHARTS.

CALCUTTA:
OFFICE OF THE SUPERINTENDENT, GOVERNMENT PRINTING, INDIA.
1898.

CALCUTTA:
SUPERINTENDENT OF GOVERNMENT PRINTING, INDIA,
8, HASTINGS STREET.

SEP 19 1944

LIST OF MAPS AND CHARTS.

1. Map of Gujerat.
2. Map showing the localities of the Pali disease and other fevers prevailing contemporaneously in Rajputana and the Upper Provinces of the Bengal Presidency.
3. Bombay Presidency illustrating the extent and intensity of the plague.
4. Bombay Presidency (exclusive of Sind), showing principal places where plague was endemic.
5. Sind, showing principal places where plague was endemic.— lacking
6. Bombay City, showing incidence of plague in the different quarters.
7. Bombay City, showing plague administrative districts and hospitals.
8. Chart, showing progress of plague in the District of Kamathipura.
9. Worli village, showing groups and dates of plague cases.
10. Sewree Coliwada, showing groups and dates of plague cases.
11. Parel village, showing groups and dates of plague cases.
12. Mahim Coliwada, showing groups and dates of plague cases.
13. Type drawing of temporary hospitals as constructed throughout Bombay under the orders of the Plague Committee.
14. Hardwar and neighbourhood.
15. Hardwar, showing infected area and isolated plague cases.
16. India, showing Railway plague inspection stations. — lacking
17. Observation Camp Khana Junction, East Indian Railway Bengal.

17 A. Observation Camp Chausa Station, East Indian Railway, Bengal.

18. Khanpur Station, North-Western Railway, Punjab, showing disinfecting and observation camp.
19. Map showing observation posts near the Punjab-Sind Frontier.
20. Map of the Daman Frontier.
21. Chart of the course of the plague in the City of Bombay.
22. Chart comparing the weekly mortality in the City of Bombay with the weekly mortality during the previous five years.
23. Chart of the course of the plague in the wards of the City of Bombay.
24. Chart of the course of the plague in different localities in the Bombay Presidency.
25. Chart of the course of the plague in different localities in Sind.
26. Chart comparing the progress of the plague with the variation in the temperature in certain localities.

MAP

Shewing the localities of the
Fall Disease *and other Fevers*
prevailing contemporaneously in
RAJPOOTANA
and the Upper Provinces of the
BENGAL PRESIDENCY.

Reproduced from Dr Hawkes's report

EXPLANATION.

The Pale Buff Denote prevalent of the places marked thus
Common Intermittent and Remittent Fevers Green
Yellow Fever Yellow
Sanitary Cordons or Preventive lines Red

Scale of 24 Miles to 1 Inch

BIKANEER

JOUDPOOR OR MARWAR

JYPOOR

AGRA

MEYWAR

HADAH

ALWAR or LALLORA

Gwalior

Dotora

PALI

AJMEER

Nusseerabad

Nuseal

Rohtuk

Panipat

Moradabad

Bareilly

Cori

o. I.

In-House
scanning

p:
028477

um:
v.4

ron:
1898

No. 3.


BOMBAY PRESIDENCY
ILLUSTRATING THE EXTENT AND INTENSITY OF THE PLAGUE.
Scale 1 Inch = 80 Miles or 1/5,069,760
100 0 100 Miles
REFERENCES.
Districts and States in which the number of reported plague seizures per 100,000 of the population was from:—
1 to 10
11 to 50
51 to 100
101 to 250
251 to 500
501 to 1,000
Poona City, reported seizures 1,576 per 100,000
Bombay City, estimated deaths about 2,630 per 100,000
Karachi City, reported seizures 3,974 per 100,000
Mandvi Town, reported seizures 11,424 per 100,000
Daman (Portuguese territory) approximately one third of the population.
BALUCHISTAN
BAHAWALPUR
RAJPUTANA AGENCY
CENTRAL INDIA AGENCY
CENTRAL PROVINCES
BERAR
HYDERABAD
MYSORE
MADRAS PRESIDENCY
KATTIAWAR
KUTCH
THAR & PARKAR
JEYSUEMERE
BIKANER
Gulf of Cutch
Gulf of Cambay
Arabian Sea
Bombay
Poona
Karachi
Surat
Ahmedabad
Hyderabad
Sholapur
Belgaum
Dharwar
Kolhapur
Satara
Ratnagiri
Nasik
Ahmednagar
Aurangabad
Khandesh
Broach
Kaira
Panch Mahals
Rewa Kantha
Baroda
Nadiad
Cambay
Godhra
Dohad
Indore
Gwalior
Udaipur
Jodhpur
Jaisalmer
Bikaner
Jeypore
Ajmere
Abu
Mount Aboo
Deesa
Palanpur
Radhanpur
Sirohi
Pahlanpur
Mandvi
Anjar
Bhuj
Mundra
Jakhau
Nawanagar
Porbandar
Jetalsar
Gondal
Rajkot
Dhrangadhra
Wadhwan
Limbdi
Morvi
Maliya
Jodia
Jamnagar
Okhamandal
Dwarka
Kathiawar
Bhavnagar
Gogha
Sihor
Palitana
Mahuva
Umrala
Botad
Dhandhuka
Dholka
Viramgam
Mahi Kantha
Sabarmati
Mehsana
Kadi
Patan
Sidhpur
Kherwara
Ahmednagar
Sangamner
Akola
Amraoti
Yeotmal
Wardha
Nagpur
Chanda
Bhandara
Betul
Chhindwara
Seoni
Jubbulpore
Narsinghpur
Hoshangabad
Harda
Nimar
Dewas
Ujjain
Ratlam
Jhabua
Mhow
Sironj
Bhopal
Gwalior
Shivpuri
Datia
Jhansi
Tonk
Kotah
Bundi
Jhalawar
Partabgarh
Chittorgarh
Bhilwara
Merwara
Kishangarh
Shahpura
Lohara
Nasirabad
Beawar
Makrana
Didwana
Nagaur
Pokaran
Phalodi
Sanchor
Luni
Pali
Sojat
Jaitaran
Sumerpur
Ahor
Bhinmal
Sirohi
Abu
Mount Aboo
Deesa
Palanpur
Radhanpur

No. 3.

No. 4.

Taken from the Engraved Map of India. Scale 32 miles to 1 Inch.

Published under the direction of Colonel H. E. Thuillier R.E. Surveyor-General of India
October 1897
With additions in Bombay up to 1898

Price Unmounted One Rupee Eight Annas
" Coloured One Rupee Twelve Annas

Litho., P. W. D., Calcutta.

Eng. No. 805, Photo-Litho. 18—1,500.

No. 6.

INCIDENCE OF PLAGUE IN DIFFERENT QUARTERS OF THE CITY OF BOMBAY.



Scale 3000 Feet to one Inch.

No. 6.



BOMBAY

Scale, 2 Inches to one Mile.

DISTRICTS INTO WHICH THE CITY WAS DIVIDED FOR PREVENTIVE & REMEDIAL OPERATIONS COLORED DIFFERENTLY & NUMBERED ACCORDING TO GENERAL GATACRE'S REPORT.

GOVT. HOSPITALS SHOWN THUS — ●
PRIVATE Dº Dº Dº — ▪

o. 7.

CHART SHEWING PROGRESS OF PLAGUE IN THE DISTRICT OF KAMATIPURA

Horizontal Scale 1 inch = 10 days.
Vertical D° D° = 10 deaths.



Note. *In the map and diagram cases in group one are shown in red.*
" " " " " " " " *two* " " " *yellow.*
" " " " " " " " *three* " " " *green.*

No. 8.

WORLI VILLAGE

MAP SHOWING GROUPS OF CASES.

SCALE 1 INCH = 100 FEET

No 9.

Note. In the map and diagram cases in group one are shown in red.
" " " " " two " yellow
" " " " " three " green

DIAGRAM SHOWING DATES OF CASES

Perpendicular lines = Days
Vertical " = A deaths



No. 9.

SEWREE COLIWADA

No. 10

MAP SHOWING GROUPS OF CASES

SCALE 100 FEET = 1 INCH.

Note In the map and diagram cases in group one are shown in red.
" " " " " " " " two " " " yellow.
" " " " " " " " three " " " green.

DIAGRAM SHOWING DATES OF CASES

Horizontal Scale. 1 inch = 8 days.
Vertical D° D° = 8 deaths.



Photo., S. I. O., Calcutta.

No. 10.

PAREL VILLAGE.

MAP SHOWING GROUPS OF CASES

SCALE 1 INCH = 100 FEET.



Note In the map and diagram cases in group no. are shown in red.
" " " " " " " " two " " " yellow
" " " " " " " " three " " " green.

DIAGRAM SHOWING DATES OF CASES.

Horizontal Scale 1 inch = 8 days
Vertical D° D° = 8 deaths



No. II.

MAHIM COLIWADA

№ 12

MAP SHOWING GROUPS OF CASES.

SCALE 1 INCH = 100 FEET.



DIAGRAM SHOWING DATES OF CASES.

Horizontal Scale 1 inch = 8 days.
Vertical " " = 8 deaths.



Rec. No. 5+1 — 28 — Tvc. 27—1, 00.

Photo. S. I. O., Calcutta

12.

TYPE DRAWING OF TEMPORARY HOSPITAL

as constructed throughout Bombay under the order of the Plague Committee.

Scale 16 feet to an inch.

REDUCED FROM THE DRAWING IN GENERAL GATACRE'S REPORT.



Section for Hospital

Section for Nurses quarters

Section for Orderlies & Servants Qrs

No. 13.

№ 14

HARDWAR AND NEIGHBOURHOOD.

Scale 2 inches = 1 mile.



Photo. S. I. O., Calcutta.

No. 14.

№ 15

HARDWAR



REFERENCES.

AREA EVACUATED SHOWN BY A GREEN LINE

PLAGUE CASES OUTSIDE THE INFECTED AREA.

Nos.	NAME OF PERSON	DATE OF OCCURRENCE
I	Asa Ram	22nd April
II	Ram Kishen	15th May
III	Mussl. Sanju	17th May
IV	Kaudagar	18th May
V	Shama	23rd May
VI	Bhunga	27th May
VII	Toori Ram	27th May
	*(This man was found lying in the open in Lakha Rao – he had not occupied any house – not shown in this map.)	

Nos.	NAME OF PERSON	DATE OF OCCURRENCE
VIII	Tumna (died with symptoms of pleurisy – a doubtful case of plague).	30th May
IX	Uggar, Sadu (found on Jawalapur road – had slept some nights at Gokal's house near Gurghat)	1st June

Reg. No. 694, Home—Jan. 98—1,000

Photo., S. I. O., Calcutta

No. 15.

OBSERVATION CAMP

KHANA JUNCTION, EAST INDIAN RAILWAY, BENGAL.

SCALE, 300 FEET = 1 INCH.



Reg. No. 204, Home.—Dec. 07.—1,100

Photo., S. I. O., Calcutta

No. 17.

CHAUSA OBSERVATION CAMP

Scale 1 Inch = 150 Feet



No. 17 A.

KHANPUR STATION

Showing

Disinfecting Lines and Hospital

Scale, 200 feet = 1 inch

REFERENCES

Masonry Buildings	Ash Banks
Sleeper Huts	Railway Lines
Tin Sheds	Roads
Mud Huts	Canals
Grass Huts	Cultivation
Earth Banks	Jungle



Reg. No. 594, Home.—Jan. 98.—1,000.

Photo., S. I. O., Calcutta.

No. 18.

№ 19

—Map Showing Observation Posts near the Panjab—
—Sind Frontier.—



MAP

of the

DAMAN FRONTIER

Scale

1 Inch = 1 Mile

Furlongs 8 4 0 2 3 Miles

* * * * *Posts of the Plague Observation Guard.*

C.H. *Posts (Chowki) of the Salt Guard.*



No. 20.

Reported Seizures & Deaths in the City of Bombay.



The firm line indicates the average daily number of reported seizures during the weekly periods shown in the heading, and the dotted line indicates the average daily number of reported deaths during the same periods.

Rep. No 11, Home —Feb. 95 —1,600

Lths. S. I. C[illegible]ay

No. 21.

Comparison of the general mortality in the City of Bombay with the general mortality during the previous five years.

Period (week ending).	11th August.	18th August.	25th August.	1st September.	8th September.	15th September.	22nd September.	29th September.	6th October.	13th October.	20th October.	27th October.	3rd November.	10th November.	17th November.	24th November.	1st December.	8th December.	15th December.	22nd December.	29th December.	5th January.	12th January.	19th January.	26th January.	2nd February.	9th February.	16th February.	23rd February.	2nd March.	9th March.	16th March.	23rd March.	30th March.	6th April.	13th April.	20th April.	27th April.	4th May.	11th May.	18th May.	25th May.	1st June.	8th June.	15th June.	22nd June.	29th June.	6th July.	13th July.	20th July.	27th July.	3rd August.	10th August.	17th August.	24th August.	31st August.
Average daily mortality during 1896-97.	80	87	91	90	80	83	88	96	106	87	83	96	92	85	96	104	106	147	183	198	261	242	232	248	243	232	230	220	244	233	210	187	177	159	160	142	136	117	92	89	77	76	74	69	80	73	68	74	75	79	94	106	148	76	74	80	76
Average daily mortality during corresponding periods of the preceding five years.	72	72	77	73	71	63	68	70	65	67	64	63	66	60	62	60	62	62	64	63	64	66	65	68	70	71	74	78	74	76	74	72	73	74	76	78	84	86	83	81	82	79	74	74	69	63	63	67	66	71	74	78	133	136	119	111



Mortality in 1896-97 is shown by the firm black line. The average mortality during the preceding five years is shown by the dotted black line.

No. 22.

Course of the plague in the Wards of the City of Bombay.



Fas No 20, Home.—Feb 98—1,000

Litho., S. I. O. Calcutta

No. 23.

Course of the plague in the Wards of the City of Bombay.



Course of the plague in different localities in the Bombay Presidency.



Rail. No 18 Home—Feb 01—1,000

Litho E I O Calcutta

Course of the plague in different localities in Sind.



Reg. No. 11, Home—Feb. 96.—1,000.

Litho., S. I. O. Calcutta.

No. 25.

Course of the plague compared with variation in temperature (Bombay Presidency).







Reg. No. 13, Hume.—Feb. 95.—1,000

The firm line indicates the average daily number of reported seizures during the weekly periods shown in the heading; the dotted line indicates the average daily mean temperature during the same periods.

with variation in temperature (Bombay Presidency).



Course of the plague compared with variation in temperature (Sind).



Impd. & T.C. Caleutta.

The firm line indicates the average daily number of reported seizures during the weekly periods shown in the heading the dotted line indicates the average daily mean temperature during the same periods.

o. 26.